

General Description

The Ledpro LED Slimline Tri-proof Light is an energy-efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial and light assembly applications. It is the optimal solution for conventional lighting systems and also excellent for new installations due to its low installation cost, everything in one box and installation is tool-less. It saves both time and cost when updating lighting systems. It is mainly used in warehouse, supermarket, workshops, office etc commercial and industrial lighting applications.

Benefits

- Fast and easy installation
- A +++ 92% Energy saving compare to Halogen, 60% compare to Fluorescent
- Lower maintenance cost thanks to over 3 times longer lifetime

Features

- High Output Samsung LED's, up to 140~150lm/W
- High CRI >80
- IP65
- Milky PC cover
- 5 Year Warranty on complete fixture. (LED's, Driver, & Housing)
- 1-10V Options
- Pendant Mount or Surface Mount


Applications

- Supermark
- Warehouse
- Sports Halls
- Workshops
- Office

Electrical and Technical Data

Model No	LK54F-20W	LK54F-30W	LK55F-30W	LK55F-40W Input
Power	20W	30W	30W	40W
Dimension	1200*46*63mm	1200*46*63mm	1500*46*63mm	1500*46*63mm
Housing Color	Standard Silver			
CCT	3000K/4000K/5000K/6000K			
CRI	>80(CRI>90 option)			
Power Factor	>0.9			
IP Grade	IP65			
Input Voltage	AC100-240V 50/60HZ			
Luminous Efficiency	140lm/W standard(160lm/W Optional)			
Certificates	CE/RoHs			
Beam Angle	120°			
Working Temp	-20°C~+50°C			
Warranty	5 Years			
Lifespan	50,000hrs			


Product Dimension&Package Details



Model	A(Norm)	W(Norm)	H(Norm)	N.W/PC	G.W/PC	Qty/CTN	Size/CTN
LK54F-20W	1200mm	46mm	63mm	2.7KG	3.0KG	20PCS	1280*325*352mm
LK54F-30W	1200mm	46mm	63mm	2.7KG	3.0KG	20PCS	1280*325*352mm
LK54F-30W	1500mm	46mm	63mm	3.3KG	3.5KG	20PCS	1580*325*352mm
LK54F-40W	1500mm	46mm	63mm	3.3KG	3.5KG	20PCS	1580*325*352mm

Installation

Suspending



Ceiling Mounted

